



EMORY DAMRON is logged in
[Logout](#)

[Home](#)
[Search](#)
[Journals](#)
[Abstract Databases](#)
[Books](#)
[Reference Works](#)
[My Profile](#)
[Alerts](#)
[Help](#)

Quick Search: within All Full-text Sources results **1 - 5**

5 Articles Found

pub-date > 1984 and pub-date < 2004 and (ABLATE OR ABLATING OR ABLATION) AND (ATRIUM OR ATRIAL) AND (FIBRILLATE OR FIBRILLATION OR FIBRILLATING OR ARRHYTHMIA OR FLUTTER OR TACHYCARDIA) AND (ANTENNA OR ANTENNAS OR ANTENNAE)

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

View: Sort By:

1. ☐

Microwave cardiac ablation: A comparison of lesions created with a novel coaxial slot array to lesions with a helical coil antenna • ABSTRACT

Heart, Lung and Circulation, Volume 9, Issue 3, December 2000, Page A92

D. J. R. Guy , H. M. Chiu , A. S. Mohan , S. P. Thomas and D. L. Ross

2. ☐

Lesions suitable for atrial and ventricular ablation can be produced with a single novel microwave antenna • ABSTRACT

Heart, Lung and Circulation, Volume 9, Issue 3, December 2000, Page A147

D. J. R. Guy , H. M. Chiu , A. S. Mohan , S. P. Thomas and D. L. Ross

3. ☐

Progress toward a catheter ablative cure of atrial fibrillation • ARTICLE

Journal of Electrophysiology, Volume 31, Supplement 1, 1998, Pages 71-79

Michael D. Lesh

[Abstract](#)

4. ☐

Increased heart rate variability after radiofrequency ablation • SHORT COMMUNICATION

The American Journal of Cardiology, Volume 71, Issue 16, 15 June 1993, Pages 1460-1461

Bernhard Frey, Gottfried Heinz, Gerhard Kreiner, Herwig Schmidinger, Heinz Weber and Heinz Gössinger

[Abstract](#)

Radiofrequency ablation is a safe and highly effective modality of treatment for patients with atrioventricular (AV) nodal reentrant1 and circus movement2,3 tachycardias. Inappropriate sinus tachycardia has been described after the procedure.4 Vagal withdrawal has been implicated in its occurrence, assuming damage of postganglionic parasympathetic fibers in the region of the AV node.4 In the present study, heart rate (HR) variability was analyzed after radiofrequency ablation to further characterize any direct or indirect effect of radiofrequency energy on the sinus node.

5. ☐ **Current therapy for supraventricular tachycardia • ARTICLE**
Current Problems in Cardiology, Volume 17, Issue 7, July 1992, Pages 414-477
David E. Haines and John P. DiMarco

[Abstract](#)

5 Articles Found

pub-date > 1984 and pub-date < 2004 and (ABLATE OR ABLATING OR ABLATION) AND (ATRIUM OR ATRIAL) AND (FIBRILLATE OR FIBRILLATION OR FIBRILLATING OR ARRHYTHMIA OR FLUTTER OR TACHYCARDIA) AND (ANTENNA OR ANTENNAS OR ANTENNAE)

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

[Home](#) [Search](#) [Journals](#) [Abstract Databases](#) [Books](#) [Reference Works](#) [My Profile](#) [Alerts](#)

[original search results](#) [previous page](#) results **1 - 5** [Display Page 12](#) [Help](#)

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2004 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.